

ELTIS 3

Brief introduction



ELTIS 3 allows you to:

- ▶ Perform engine-specific part searches
- ▶ Order parts

In addition, you can view and print out the following service documentation:

- ▶ Maintenance Manual
- ▶ Operating Instructions
- ▶ Parts Catalogue (print version)

Electronic Parts Catalogue

 Documentation	 Search	 Image-text view	 Shopping basket	 Order form	 Print
<ul style="list-style-type: none">▶ <u>ELTIS start page</u>	<ul style="list-style-type: none">▶ <u>Access via Parts Catalogue</u> <p>Direct search by</p> <ul style="list-style-type: none">▶ <u>Sales group/Item number</u>▶ <u>Part name/Item number</u>▶ <u>Maintenance parts</u>	<ul style="list-style-type: none">▶ <u>Parts selection</u> <p>Graphic functions</p> <ul style="list-style-type: none">▶ <u>Zoom function</u>▶ <u>3D function</u>	<ul style="list-style-type: none">▶ <u>Edit shopping basket</u>	<ul style="list-style-type: none">▶ <u>Edit order form</u>	<ul style="list-style-type: none">▶ <u>Print order form</u>▶ <u>Print image-text view</u>▶ <u>Print list of maintenance parts</u>

Service documentation

 Documentation	 Search	 Print
<ul style="list-style-type: none">▶ <u>Operating Instructions</u>▶ <u>Maintenance Manual</u>▶ <u>Parts Catalogue (print version)</u>	<ul style="list-style-type: none">▶ <u>Search</u> <p>You need Adobe Acrobat Reader for viewing.</p>	<ul style="list-style-type: none">▶ <u>Print documents</u>

Documentation

ELTIS start page



ELTIS allows you to perform fast and easy engine-specific part searches and use the part ordering options. Furthermore, the engine-specific maintenance manuals and operating instructions have been integrated into ELTIS. You can print the complete engine-specific catalogue documentation on your system printer.

- 1 Click on the small triangle in the pull-down menu to choose the language version.
- 2 Open the parts catalogue here and start the parts search.
- 3 Open the service documents provided by MAN here.
- 4 Open the 'Shopping basket' here.
- 5 If the range includes several engines, you can call up the engine-dependent order number concerned here.
- 6 Start a targeted search by 'Sales group' or 'Item number' here.
- 7 Open the program help here. ■

The screenshot shows the ELTIS 3.0 web application. At the top right, there is a language selection dropdown menu (1) currently set to 'English'. Below it, the text 'MAN Nutzfahrzeuge Gruppe' is visible. The main navigation bar contains three items: 'Catalogue' (2), 'Documentation' (3), and 'Shopping basket (0)' (4). On the left side, there is a sidebar menu with 'Orders' (5), 'Instructions for use by sales group by item number' (6), 'Maintenance parts', 'Printer-friendly version (PDF)', and 'Help' (7). The central content area features a large banner for 'ELTIS 3.0' and 'MAN Engines & Components World-Wide'. Below the banner are three engine categories: 'Industrial engines', 'Automotive engines & Components', and 'Marine engines'.

ELTIS start page



Documentation



Search



Image-text view



Shopping basket



Order form



Print



Search

Access via design groups/tables of images

1 of 2



To start the parts search, click 'Catalogue' on the start page. The overview of the catalogue page with the design groups opens.

- 1 List of design groups. Click the desired 'Design group' to continue searching. The list of tables of images is displayed.
- 2 Start a targetted search by 'Part name' or 'Item number' here.
- 3 Open the overview of 'Maintenance parts' here. You can transfer the 'Maintenance parts' straight to the 'Shopping basket'.
- 4 Open the engine-specific Parts Catalogue (print version) here.
- 5 Search history display with navigation function.

The screenshot shows the ELTIS website interface. At the top, there is a search bar with 'English' selected. Below the search bar, the 'MAN Nutzfahrzeuge Gruppe' logo is visible. The main navigation bar includes 'Catalogue', 'Documentation', 'Search', and 'Shopping basket (0)'. The 'Catalogue' section is active, displaying a table of design groups. The table has two columns: 'Des. Gr.' and 'Name'. The 'Maintenance parts' row is highlighted with a yellow circle and a '3' in a yellow circle. The 'Printer-friendly version (PDF)' row is also highlighted with a yellow circle and a '4' in a yellow circle. The 'Search' button is highlighted with a yellow circle and a '2' in a yellow circle. The 'Order' summary on the right side of the page includes the order number '000005657580 000002', the engine number '41018230881817', the engine type 'PET 32.2007', and the engine type 'D 2876 LE423'. A yellow circle with a '5' is placed next to the engine type.

	Des. Gr.	Name
	010/0	crankcase
	020/0	crankgear
Orders	030/0	cylinder head
	040/0	engine timing
	050/0	engine lubrication
Instructions for use	060/0	cooling system (water cooling)
by sales group	080/0	intake syst / exhaust manifold
by item number	090/0	turbocharger
	100/0	injection nozzles and pipes
	110/0	injection pump / hp pump
	120/0	fuel system
Maintenance parts	173/0	gearbox mounting
	192/0	engine attachments
	250/0	lighting, signals, switches
	260/0	electrical equipment
Printer-friendly version (PDF)	270/0	instruments
	320/0	gearbox with mounting parts
	990/0	set of seals
Help		

Overview of design groups

Documentation

Search

Image-text view

Shopping basket

Order form

Print

Search

Access via design groups/tables of images

2 of 2



Click the desired 'Design group' on the catalogue page. The list of tables of images is displayed to allow you to continue searching.

- 1 List of available tables of images. Click on the desired 'Table of images' to display the image-text view.
- 2 Search history display with navigation function. ■

The screenshot shows the ELTIS web application interface. At the top, there is a navigation bar with 'Catalogue', 'Documentation', 'Search', and 'Shopping basket (0)'. The main content area is divided into two columns. The left column contains a list of search results under the heading 'Table of images', including items like 'coolant outlet', 'coolant pump thermostat', 'cooling water bleeder line', 'exhaust manifold cooling water lines', 'heat exchanger components 51.06100-7022', 'heat exchanger cooling water lines', 'heat exchanger heater connection cooling water lines', 'heat exchanger mounting parts', 'heat exchanger screw nipple bracket', 'intercooler cooling water pipe', 'raw water pump Raw water pipes', 'raw water pump drive', 'raw water pump wear parts 51.06500-7026', 'starter support', 'surge tank', 'surge tank cooling water lines', 'surge tank mounting', 'water pump', and 'water pump mounting'. The right column displays order information: 'Order 000005657580 000002', 'Engine number 41018230881817', 'PET 32.2007', 'Engine type D 2876 LE423', and 'Design group cooling system (water cool) Des. Gr. 060/0'. A search history display is visible at the bottom right of the main content area, showing a list of search terms and a navigation function with a magnifying glass icon.

Overview of tables of images



Search

Direct search by "Sales group/Item number"



The entire database is filtered during the search by 'Sales group' or 'Item number'. The filter functions locate the parts that begin with the sequence of characters you have entered. Activate the search with filter function using the 'Filter' button. Use the 'Show all' button to deactivate a 'Filter' that has been set.


- 1 Select the desired search option here by clicking 'by sales group' or 'by item number'.
- 2 Enter the desired 'Sales group' or 'Item number' in the box.
- 3 If the 'Filter' active (black) button is displayed, the search can be started here.
- 4 If the hit list has several pages, you can scroll through the list using these buttons.
- 5 The hits are displayed here. ■

The screenshot shows the ELTIS search interface. At the top, there is a search bar with the text "Sales group: #0410-0723" and a "Filter" button. Below the search bar, there is a "Show all" button. The results section shows "1 Sales groups found. - Show sales groups 1 to 1." and a table with the following data:

Sales group	Name	Engine type
51.#0410-0723	engine mounting with exhaust system water cooled	D2876 LE423/433

The interface also includes a sidebar with navigation options: Orders, Instructions for use (with sub-options "by sales group" and "by item number"), Maintenance parts, Printer-friendly version (PDF), and Help.

Direct search by sales group



Search

Direct search by "Part name/Item number"



If you know the 'Item number' for the part you are searching for, you can call up precisely this 'Item number' using the search function. When performing a 'Search' by 'Part name', a hitlist is generally displayed. Click 'SEARCH' to open the view concerned.

The screenshot shows the MAN search interface. At the top, there is a navigation bar with 'Catalogue', 'Documentation', 'Search' (highlighted), and 'Shopping basket (0)'. Below this is a search input field containing 'A2c' and a 'Begin search' button. A dropdown menu is open, showing 'Search by part name' (highlighted) and 'Search by item number'. The search results are displayed in a list, starting with 'countersunk screw M4X18-8.8-A2C'. A message above the list states: 'Your search term is not sufficiently clear. 32 possible search terms. - Show terms 1 to 30.' Navigation buttons for 'Previous page' and 'Next page' are visible. On the right side, there is an 'Order' section with details: '000005657580 000002', 'Engine number 41018230891817', 'PET 32.2007', and 'Engine type D 2876 LE423'. The interface also includes a 'Help' link and a language selector set to 'English'.

Direct search by part name



Documentation

Search

Image-text view

Shopping basket

Order form

Print

Search

Access via maintenance parts



To include maintenance parts in the 'Shopping basket', start by opening the 'Catalogue' using the button of the same name. 'Maintenance parts' in the 'Shopping basket' are indicated by the symbol.

- 1 Open the overview of 'Maintenance parts' here.
- 2 Enter the desired quantity in the 'Volume' column.
- 3 Click here to transfer the 'Maintenance parts' for which you have entered a quantity to the 'Shopping basket'.
- 4 Open the print view of the maintenance parts list here. In the print view, click 'PRINT' to print the list of 'Maintenance parts' on your system printer. ■

The screenshot shows the ELTIS web application interface. At the top, there is a navigation bar with 'Catalogue', 'Documentation', 'Print', and 'Shopping basket (0)'. The 'Catalogue' tab is active. Below the navigation bar, there is a 'Maintenance parts' section with a 'Transfer to shopping basket' button. A table lists various maintenance parts with columns for 'Serial no.', 'Volume', 'ME', 'Item number', 'Name', and 'Engine type'. A 'Print' button is visible next to the table. An overlay window titled 'Maintenance parts print view' shows a detailed list of parts with columns for 'Serial no.', 'Item number', 'Name', and 'Engine type'. A 'Print' button is also present in the overlay window.

Serial no.	Volume	ME	Item number	Name	Engine type
1			51.12503-0063	filter element	D 2876 LE423
2	2		51.12503-0061	fuel filter insert with seal	D 2876 LE423
3			51.12501-7283	fuel filter assembly	D 2876 LE423
4			51.05504-0104	engine oil filter element	D 2876 LE423
5			51.12503-0052	fuel filter insert with seal	D 2876 LE423
6			51.12501-7280	fuel filter water trap assembly	D 2876 LE423
7			51.12503-0047	strainer fuel prefilter	D 2876 LE423
8			51.12501-7193	fuel prefilter with hand primer	D 2876 LE423
9			50.17200-8001	clutch elastic	D 2876 LE423
10			51.27421-0190	temperature sensor	D 2876 LE423
11			51.27421-0225	temperature sender	D 2876 LE423
12			51.27421-0207	temperature sender	D 2876 LE423
13			51.27120-0017	speed sender	D 2876 LE423
14			51.27120-0014	speed sender	D 2876 LE423
15			51.27421-0165	temperature sender	D 2876 LE423
16			51.96820-0288	Powerband 2-3Wx1420-OPTIBELT 2-groove	D 2876 LE423
17			06.58073-1231	narrow v-belt C-18x1050	D 2876 LE423
18			51.25503-0015	push key	D 2876 LE423
19			51.08102-0176	exhaust manifold inner part T-union	D 2876 LE423
20			51.08102-0121	exhaust manifold inner part T-union	D 2876 LE423
21			51.08102-0122	exhaust manifold inner part elbow	D 2876 LE423
22			51.08101-5187	exhaust manifold right	D 2876 LE423
23			51.06402-0063	cooling water thermostat 83 deg.	D 2876 LE423
24			51.25902-0077	relay for starter	D 2876 LE423
25			07.93813-0000	protective circuit breaker	D 2876 LE423
26			50.25437-0001	fuse assembly	D 2876 LE423

Direct search by maintenance part

Maintenance parts print view



Documentation

Search

Image-text view

Shopping basket

Order form

Print

Image-text view

Parts selection



The image-text view shows the part illustration and, in the lower area, the list of parts.

- 1 Part illustration with image cursor. The image cursor marks the selected position on the image.
- 2 Text area with text cursor:
 - Item/position number
 - Symbol identification for maintenance part
 - 'Item number'
 - 'Volume' and unit of quantity
 - 'Part name' and remarks
 - Production launch date (PET)
 - Production discontinuation date (PAT)
 - Text cursor
- 3 Box for entering the desired order volume.
- 4 Click here to transfer the marked part (text cursor) to the shopping basket.
- 5 Search history display with navigation function.
- 6 Open the print view of the image-text view here. In the print view, click 'PRINT' to print this image-text view on your system printer.

Note regarding navigation function: you do not always have to start at the front when searching for parts. When you drag the cursor over the search status, the entry background turns WHITE. Click in the white field to go back to this search status. ■

Item	Item number	Volume	ME	Name/comment	PET	PAT
12	51.96501-0500	1	Item	toric seal 93X4-FPM1-70-GN tube	08.2000	
13	06.01283-5218	3	Item	hex bolt M1 0X40-8.8-MAN183-B1	07.2002	
14	06.15013-0412	3	Item	washer A10,5X20X2-200HV-MAN1 83-B1	07.2002	
15	51.38517-0059	1	Item	drive shaft	08.2000	
16	51.93420-0015	1	Item	roller bearing	18.2002	
17	06.56836-2969	1	Item	toric seal 85X3N-FPM1-70-GN	08.2000	
18	06.01283-5114	2	Item	hex bolt M8X22-8.8-MAN183-B1	08.2000	
19	06.01283-5117	3	Item	hex bolt M8X30-8.8-MAN183-B1	08.2000	

Image-text view



Documentation



Search



Image-text view



Shopping basket



Order form



Print



Image-text view


Graphic functions – Zoom function



The part illustrations are displayed in TIF or 3D format (XVL™).

1 Buttons for zoom functions for graphics in TIF format:

-  Display a zoomed illustration as a complete image once again.
-  Enlarge the illustration step by step.
-  Shrink the zoomed illustration step by step.
-  Zoom in on a marked section of the image. Hold down the mouse button and drag a rectangle over the section of the image you wish to enlarge.
-  Activate the magnifying function. After clicking, move the cursor over the illustration. ■



Item	Item number	Volume	ME	Name/comment	PET	PAT
12	51.96501-0500	1	Item	toric seal 93X4-FPM1-70-GN tube	08.2000	
13	06.01283-5218	3	Item	hex bolt M1 0X40-8.8-MAN183-B1	07.2002	
14	06.15013-0412	3	Item	washer A10,5X20X2-200HV-MAN1 83-B1	07.2002	
15	51.38517-0058	1	Item	drive shaft	08.2000	
16	51.93420-0015	1	Item	roller bearing	18.2002	
17	06.56836-2968	1	Item	toric seal 85X3N-FPM1-70-GN	08.2000	
18	06.01283-5114	2	Item	hex bolt M8X22-8.8-MAN183-B1	08.2000	
19	06.01283-5117	3	Item	hex bolt M8X30-8.8-MAN183-B1	08.2000	

Image-text view zoom functions (TIF format)



Image-text view

Graphic functions – 3D function



The part illustrations are displayed in TIF or 3D format (XVL™).

1 Buttons for image illustrations in 3D format. Activated buttons are displayed in YELLOW.

- Go back to the original illustration step by step.
- Go back to the original illustration.
- Move the illustration in 360° direction.¹⁾
- Move the illustration on the horizontal axis.¹⁾
- Move in 3D mode (image illustration for all pages).¹⁾
- Enlarge and shrink the illustration step by step.¹⁾
- Zoom in on a marked section of the image.²⁾
- Open the wire frame illustration.
- Open the shaded illustration.
- Open the combined wire frame/shaded illustration.
- Open the concealed outline illustration.
- Open the textured illustration.

Note: to display the XVL™ illustrations, you must have the XVL Player installed on your computer. ■

The screenshot shows the WELTIS software interface. The main window displays a 3D model of an engine part, specifically a gasket, with numbered callouts (1-6). The interface includes a navigation menu on the left with options like 'Engine types', 'Engine numbers', 'Orders', 'Instructions for use', 'Maintenance parts', 'Printer-friendly version (PDF)', and 'Help'. The right side shows technical specifications for the engine type D2876 LE201-203, design group air compressor Des. Gr. 5400, and sales group 51.#0060-0463. Below the 3D model is a table with the following data:

Item	Item number	Volume	ME	Name/comment	PET	PAT
1	51.01112-0092	1	Item	cover	36.1996	
2	51.54901-0026	1	Item	gasket asbestos-free	36.1996	
3	06.01284-7115	6	Item	hex bolt M8x25-10.9-MAN183-PHR	36.1996	
4	06.16731-6107	6	Item	spring washer A8-A3C	29.1997	

At the bottom of the interface, there is an 'Add to shopping basket' section with a quantity input field set to '1' and an 'In shopping' button.

Image-text view 3D functions (3D format)

¹⁾ Hold down the mouse button and drag the cursor in the desired direction.

²⁾ Hold down the mouse button and drag a rectangle over the desired section of the image.



Shopping basket

Edit shopping basket



The current 'Shopping basket' contains all parts that have been transferred to the 'Shopping basket' so far (the number of parts in the 'Shopping basket' is shown in brackets on the button). Subsequently, you can add parts directly, change the order volumes, enter order details, select a supplier and manage your addresses here. Click 'SHOPPING BASKET' to open the 'Shopping basket'.

The screenshot shows the 'Shopping basket (6)' view in the MAN website. The main table lists the following items:

Item	Volume	ME	Item number	Name
1	1	Item	06.58936-2969	toric seal 85X3N-FPM1-70-GN
2	2	Item	06.01283-5114	hex bolt M8X22-8.8-MAN183-B1
3	3	Item	06.01283-5117	hex bolt M8X30-8.8-MAN183-B1
4	2	Item	06.15013-0411	washer A8,4X16X1,6-200HV-MAN183-B1
5	1	Item	51.38540-0007	bracket
6	1	Item	51.38517-0059	drive shaft

Order details sidebar:

- Order**: 00005657580 000002
- Engine number**: 41018230891817
- PET**: 32.2007
- Engine type**: D 2876 LE423
- Design group**: cooling system (water cooli)
- Des. Gr.**: 060/0
- Table of images**: raw water pump drive
- Image no.**: 069615-0
- Sales group**: 51.#0290-0256

Shopping basket view


- 1 Click 'EXPORT' to save a text version of the shopping basket. Click 'CLEAR' to delete all the spare parts entered in the shopping basket.

Note: the system removes all entries immediately without querying your request.

- 2 To include a spare part subsequently, you can enter the desired 'Item number' here and click 'ADD'. The spare part is included in the 'Shopping basket' with the order volume "1".

- 3 List of all order parts. Click on the symbol to delete an item. To change the order volume for an item, click in the 'Volume' field and write over the indicated volume.

Note: the symbol indicates that this item is a maintenance part. ■



Order form

Edit/print order form



Before you submit the order (e.g. by fax), the print view of the order form is opened so you can check the contents. First open the 'Shopping basket' by clicking the button of the same name.

- 1 Open the print view of the order form here. You have to click 'PRINT' on the print view of the order form to print the order form on your system printer.
- 2 Open the 'Order details' view here to enter additional information such as 'Order reference', 'Date of delivery', 'Dispatch method' etc.
- 3 Open the 'Supplier' view here to enter a supplier's address details.
- 4 Open the 'Invoice address' view here to enter your invoice address.
- 5 Open the 'Delivery address' view here to enter your 'Delivery address'. If the 'Delivery address' is identical to the 'Invoice address', you can copy all the details in the 'Invoice address' directly. Click 'TAKE FROM INVOICING ADDRESS'. ■

The screenshot shows the 'MAN Nutzfahrzeuge Gruppe' online ordering system. The 'Shopping basket (6)' tab is active. A table lists items in the basket:

Item	Volume	ME	Item number	Description
1	1	Item	06.56936-2969	toric seal 85X3N-FPM1-70-ON
2	2	Item	06.01283-5114	hex bolt MBX22-6-8-MAN183-B1
3	3	Item	06.01283-5117	hex bolt MBX3D-8-8-MAN183-B1
4	2	Item	06.15013-0411	washer A8,4X16X1,6-200HV-MAN183-B1
5	1	Item	51.38540-0007	bracket
6	1	Item	51.38517-0059	drive shaft

A 'Print' window is overlaid on the right, showing a preview of the order form with a 'Print' button at the bottom.

Order form print view

Documentation

Search

Image-text view

Shopping basket

Order form

Print



Image-text view

Print image-text view



- 1 Open the print view of the displayed image-text view here.
- 2 In the print view, click 'PRINT' to print this image-text view on your system printer. ■

MAN Nutzfahrzeuge Gruppe

Catalogue Documentation **Print** Search Shopping basket (0)

06-9615

Print 2

06-9615

D 2876 LE423 Design group: 060 0 cooling system (water cooling)
Sales group/PET/PAT: 51.#0290-0256

raw water pump drive

Item	Item number	Volume	ME	Name/comment	PET	PAT
1	51.38507-0048	1	Item	gear carrier for power take-off	08.2000	
2	04.10394-9292	NB	Item	sealants 50 ML cartridge with nozzle	08.2000	
3	51.91701-0204	2	Item	bush	08.2000	
4	06.01284-7118	2	Item	hex bolt M8x35-10.9-MAN183-PHR	20.2003	
5	06.01284-7122	1	Item	hex bolt M8x55-10.9-MAN183-PHR	08.2000	
5	06.01284-7123	1	Item	hex bolt M8x60-10.9-MAN183-PHR	12.2001	
6	06.15013-0411	4	Item	washer A8.4X16X1.8-200HV-MAN183-B1	19.2005	
7	06.01289-0162	2	Item	hex bolt M12x60-8.8-MAN183-ASC	08.2000	
8	06.15013-0413	2	Item	washer A1.8X24X2.5-200HV-MAN183-B1	20.2005	
9	51.38504-0051	1	Item	cover	34.2002	
10	51.91606-0053	1	Item	cover A50.2110.5-XSCRN11810N	08.2000	
11	04.10160-9330	NB	Item	adhesive 50ML tube	08.2000	
12	51.96501-0500	1	Item	torx seal 93X4-FPM1-70-GN	08.2000	

Print 2

Order 000005657580 000002
Engine number 41018230891817
PET 32.2007
Engine type D 2876 LE423

Design group cooling system (water cool)
Des. Gr. 060/0

Table of images raw water pump drive
Image no. 069615-0

Sales group 51.#0290-0256

Image-text print view



Documentation

Select documents



There are various types of service documentation available in ELTIS 3. You need Adobe Acrobat Reader to view and print them. First open the 'Catalogue' by clicking the button of the same name.

- 1 Click here to open the Parts Catalogue (print version).
- 2 Click here to open the overview of service documentation.
- 3 Click to select the desired document here. ■

The screenshot shows the ELTIS 3 web interface. The top navigation bar includes 'Catalogue' (highlighted with a yellow background and a '2' icon) and 'Documentation'. The main content area is a table with columns 'Des. Gr.' and 'Name'. The table lists various document categories and their corresponding item numbers and names. A callout box on the right shows a detailed view of the 'Documentation for user and service' section, which includes 'MAINTENANCE INSTRUCTIONS' and 'OPERATING INSTRUCTIONS, ENGINE' (highlighted with a '3' icon). The interface also features a search bar, a shopping basket icon, and a language dropdown menu.

	Des. Gr.	Name
Orders	010/0	crankcase
	020/0	crankgear
	030/0	cylinder head
	040/0	engine timing
	050/0	engine lubrication
	060/0	cooling system (water cooling)
Instructions for use	080/0	intake syst / exhaust manifold
	090/0	turbocharger
	100/0	injection nozzles and pipes
	110/0	injection pump / hp pump
	120/0	fuel system
	Maintenance parts	173/0
192/0		engine attachments
250/0		lighting, signals, switches
260/0		electrical equipment
270/0		instruments
320/0		gearbox with mounting parts
Printer-friendly version (PDF) 1	990/0	set of seals

Order: 000005657580 000002
Engine number: 41019230891817
PET 32.2007

MAN Nutzfahrzeuge AG
Geschäftseinheit Motoren

Documentation for user and service

MAINTENANCE INSTRUCTIONS
OPERATING INSTRUCTIONS, ENGINE

Overview of service documentation

Documentation

Search

Image-text view

Shopping basket

Order form

Print

< < 14 >


Search

Search in PDF document/print



All of the ways of searching available in Adobe Acrobat Reader are available in the open document. These are just a few of the examples from Reader version 7.0.

- 1 Click on the desired chapter in the navigation area to call up this chapter.
- 2 Click here to search for a term in the document. The search screen opens.
- 3 Enter the desired search term here and start the search.
- 4 When the document is open, click on the print symbol to print the document. ■



PDF view



Documentation



Search



Image-text view



Shopping basket



Order form



Print

